

# Ecofleece Grease Filters

Stops Grease at the Canopy

**plasma-cleanair**  
AIR, ODOUR & GREASE CONTROL




\* Plasma Clean Air is continuously improving its products and services and reserves the right to alter designs without prior notice

- Increased Fire Safety
- Improved System Efficiency
- Traps up to 98% of airborne grease at the source.
- TR19 Cost Savings
- Compliance Made Easy

**Ecofleece Grease Filters capture 98% of kitchen grease before it enters the exhaust system, reducing canopy and duct cleaning by up to 75%.**

Ecofleece is a high efficiency primary grease filtration system. It combines a 100% wool filter pad with a high efficiency flame retardant baffle filter to remove grease before it enters the kitchen canopy and extraction system.

Simply replace your existing baffle filters with Ecofleece Grease Filters to dramatically reduce TR19 canopy and duct cleaning. This will save money and offers a Return On Investment.



Canopy Mount UV  
[Find out more](#)



Xtract 2100 V.3  
[Find out more](#)

## Benefits

- Save on TR19 Duct Cleaning: Less grease in your ducts means lower cleaning costs
- Reduce Downtime & Disruption: Fewer cleanings keep your kitchen running smoothly
- Cut Operational Costs: Less cleaning of baffle filters, filtration systems, and fans.
- Extend Fan Life: Reduced grease build-up means longer-lasting fans
- Reduce Fire Risk: Capturing 98% of grease lowers fire risk significantly

Consult with a Plasma Clean Air representative to find out the most suitable odour control solution for your application.

[plasma-cleanair.com](http://plasma-cleanair.com) | [ask@plasma-cleanair.com](mailto:ask@plasma-cleanair.com) | 0800 652 3325

[plasma-cleanair](#)



# Ecofleece Grease Filters

Stops Grease at the Canopy

## Our Process to Help You Save on TR19 Canopy and Duct Cleaning

### Initial optimisation period (first 4 weeks after handover)

We work with the end user to determine the optimal replacement schedule for Ecofleece pads based on real kitchen usage.

### Post-installation inspection (4–8 weeks)

Our Service Engineer conducts a follow-up TR19 grease inspection to assess grease accumulation within the system.

### Custom maintenance plan

Based on the inspection findings, we will:

- Recommend the volume and frequency of Ecofleece pad replacements tailored to your kitchen's usage.
- Define the appropriate TR19 manual duct cleaning frequency to maintain compliance without unnecessary cost.

### Planned servicing schedule

We implement a scheduled filter delivery and replacement calendar, alongside planned TR19 duct cleaning & audit visits.

### Result

You remain compliant and protected — without over-cleaning or under-maintaining.

## Technical Details

<b>Baffle Filter Size</b> (H x W x D mm)	495 x 495 x 47 / 395 x 495 x 47 / 395 x 395 x 47 (Other sizes are available - please ask)
<b>Baffle Filter Construction</b>	Polished Stainless Steel
<b>Eco fleece Pad Filter</b>	100% wool
<b>Static Pressure</b> (Pa)	120 at rated airflow
<b>Efficiency</b>	90% at 45 microns / 98% at 9.5 microns
<b>Compliance</b>	UL1046 / UL710



**Register Your  
Warranty**

